## Hand Brush L, 7.9", Stiff, White







Use this multipurpose Hand Brush to effectively clean tables, conveyor belts, chopping boards, buckets, large bowls and equipment with hard-to-reach corners and crevices.

## **Technical Data**

Item Number	38905
Visible bristle length	1.4 "
Material	Polypropylene Polyester Stainless Steel (AISI
Complice with (EC) 4025/2004 on food contact metaricle1	304) Yes
Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	res
FDA-compliant raw material (CFR 21)	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Meets the REACH Regulation (EC) No. 1907/2006	Yes
California Proposition 65 Compliant	Yes
Use of phthalates and bisphenol A	No
Is Halal and Kosher compliant	Yes
Design Registration No.	EU 002025700-0001-3, GB 20257000001-3
Box Quantity	15 Pcs.
Quantity per Pallet (80 x 120 x 180-200 cm)	1560 Pcs.
Quantity Per Layer (Pallet)	120 Pcs.
Length	7.9 "
Width	2.8 "
Height	2.4 "
Net Weight	0.485 lbs
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)	0.01 lbs
Weight cardboard (Recycling symbol "20" PAP)	0.03 lbs
Tare Total	0.04 lbs
Gross Weight	0.5269 lbs
Cubic Feet	0.0297 ft3
Recommended sterilisation temperature (Autoclave)	249.8 °F
Max. cleaning temperature (Dishwasher)	199.4 °F
Max usage temperature (food contact)	176 °F
Max usage temperature (non food contact)	212 °F
Min. usage temperature	-4 °F
Max. drying temperature	212 °F
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020389054

GTIN-14 Number (Box quantity)	15705020389051
Customs Tariff No.	96039099
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 32 °Fahrenheit.