

SECTION 1. Identification of the substance/mixture and of the company/enterprise

1.1. Product identifier

Product name : DECORAN Gran

Product code: refer to sales department

1.2. Relevant identified uses of the substance or mixture and uses advised against

Clarifying Agents

Sectors of use:

Industrial Manufacturing[SU3], Manufacture of food products[SU4], Public domain (administration, education, entertainment, services, craftsmen)[SU22]

Product category:

Process aid for enological use, Process aid for food-limited use

Not recommended uses

Do not use for purposes other than those listed

1.3. Details of the supplier of the safety data sheet

AEB SpA - Via Vittorio Arici 104 S.Polo - 25134 Brescia (BS) Italy

Tel. +39.030.2307.1 Fax +39.030.2307281

E-mail: info@aeb-group.com - Internet: www.aeb-group.com

E-mail tecnico competente/technical dept.: sds@aeb-group.com

AEB USA

111 N Cluff Avenue

Lodi CA 95240 (USA)

Tel: +1 2096258139 Fax: +1 2092248953

Email: info@aebusa.com - Internet: www.aeb-group.com

AEB AFRICA (PTY) LTD

18 Track Crescent, Cor. Station Road

Montague Gardens 7441

Cape Town (South Africa)

Tel.: +27 215512700 - Fax: +27 (0) 215511919

Email: info@aeb.co.za - Internet: www.aeb-group.com

AEB OCEANIA PTY LTD

178A Wakaden Street

Griffith NSW 2680

T: 1300 704 971

Email: aebocceania@aeb-group.com - Internet: www.aeb-group.com

Produced by

AEB SpA

Via Vittorio Arici 104 S. Polo

25134 Brescia

1.4. Emergency telephone number

AEB SpA

Centralino/Switchboard: +39.030.2307.1 - (h 8.30-12.00 13.30-18.00 GMT +1; Lingua/Language: Italiano, English)

AEB BIOCHEMICAL USA

Switchboard: +1 2096258139 (GMT -8; Language: English)

AEB AFRICA (PTY) LTD

Switchboard: +27 215512700 (GMT +1; Language: English, Afrikaans)

AEB OCEANIA PTY LTD

Switchboard: +61 1300 704 971 (GMT +9; Language: English)

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:

None

Hazard Class and Category Code(s):

Non hazardous

Hazard statement Code(s):

Non hazardous

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):

None

Hazard statement Code(s):

Non hazardous

Supplemental Hazard statement Code(s):

EUH210 - Safety data sheet available on request.

Precautionary statements:

None in particular.

Contains:

Information concerning the components: decolorizing active carbon.

Only for professional use. Food use. Also for oenological use. In accordance with current regulations on the specific matter.

2.3. Other hazards

The substance / mixture does NOT contain substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

No information on other hazards

SECTION 3. Composition/information on ingredients

3.1 Substances

Irrilevant

3.2 Mixtures

No dangerous substance to report.

Substance	Concentration	Classification	Index	CAS	EINECS	REACH
Activated Carbon substance for which there are Community workplace exposure limits	> 50 <= 100%			7440-44-0	931-334-3	
Bentonite substance for which there are Community workplace exposure limits	> 10 <= 20%			1302-78-9	215-108-5	

SECTION 4. First aid measures

4.1. Description of first aid measures

Inhalation:

Ventilate the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

Direct contact with skin (of the pure product):.

Wash thoroughly with soap and running water.

Direct contact with eyes (of the pure product):.

Wash immediately and thoroughly with running water for at least 10 minutes.

Ingestion:

Not hazardous. It's possible to give activated charcoal in water or medicinal mineral vaseline oil.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5. Firefighting measures

5.1. Extinguishing media

Suggested extinguishing media:

Water spray, CO₂, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing media to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

5.2. Special hazards arising from the substance or mixture

No data available.

5.3. Advice for firefighters

Use protection for the breathing apparatus

Safety helmet and full protective clothing.

The water spray can be used to protect the people involved in the extinction.

You may also use self-contained breathing apparatus, especially when working in confined and poorly ventilated areas and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)

Keep containers cool with water spray

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel:

Leave the area surrounding the spill or release. Do not smoke

Wear gloves and protective clothing

6.1.2 For emergency responders:

Eliminate all unguarded flames and possible sources of ignition. No smoking.

Provide a sufficient ventilation.

Evacuate the danger area and, in case, consult an expert.

6.2. Environmental precautions

Contain spills

Inform the competent authorities.

Dispose of the waste material in compliance with the regulations

6.3. Methods and material for containment and cleaning up

6.3.1 Containment:

Recover the product for reuse, if possible, or for elimination.

6.3.2 Cleaning up:

After wiping up, wash with water the area and materials involved

6.3.3 Other information:

None in particular.

6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

SECTION 7. Handling and storage

7.1. Precautions for safe handling

At work do not eat or drink.
See also paragraph 8 below.

7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabelled containers.
Keep containers upright and safe by avoiding the possibility of falls or collisions.
Store in a cool and dry place, away from heat sources and direct exposure to sunlight.

7.3. Specific end use(s)

Industrial Manufacturing:
Handle with extreme caution.
Store in a well ventilated place away from heat sources.

Manufacture of food products:
Handle with care.
Store in a clean, dry, ventilated area away from heat and direct sunlight.
Keep container tightly closed.

Public domain (administration, education, entertainment, services, craftsmen):
Handle with care. Store in a ventilated area and away from heat, keep the container tightly closed.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

=====

Related to contained substances:

Activated Carbon:

Limit values for exposure (powders)

Source OEL (en) 2007 Date Value typical TWA 10 mg/m3 Value Comments an inhalable Particles

Source OEL (en) 2007 Date Value tipicoTWA Value 3 mg/m3 respirable Particles Comments

OEL (en) source Given typical Value Value 2009 TWA 3 mg/m3 respirable Particles Observations. Source: ACGIH's threshold
Source OEL (en) date 2009 Typ. TWA 10 mg/m3 Value Comments an inhalable Particles. Source: ACGIH's threshold

Source ACGIH (US) 2008 Typ. TWA 10 mg/m3 Value Comments an inhalable Particles

Source ACGIH (US) 2008 Typ. TWA Value 3 mg/m3 respirable Particles Observations.

Exposure limit values

OEL (en) source Given typical Value Value 2008 TWA 2 mg/m3 respirable fraction Comments

OEL (en) source Given typical Value Value 2009 TWA 2 mg/m3 respirable Fraction Observations. Source: ACGIH's threshold

Derived no-effect level (DNEL):

End-use Workers Inhaling 3 mg/m3 (LT)

End-use Consumers Inhalation 0.5 mg/m³ (LT)

Local Effects: LT: long-term

Bentonite:

INHALABLE, DUST

Limit value – Eight hours

(ppm)/(mg/m³)

Austria: x/10

Belgium: x/10

Denmark: x/10

France: x/10

Germany (AGS): x/10(1)(2)(3)

Germany (DFG): x/4

Hungary: x/10

Ireland: x/10

Singapore: x/10

Spain: x/10

Sweden: x/10

Switzerland: x/10

USA – OSHA: x/15

RESPIRABLE DUST

Limit value – Eight hours

Austria: x/5

Belgium: x/3

France: x/5 respirable aerosol

Germany (AGS): x/1,25 (1)(2)(3)(4)(5)

Germany (DFG): x/1,5

Hungary: x/6

Ireland: x/4

Spain: x/3

Sweden: x/5

Switzerland: x/3

USA – OSHA: x/5

Remarks

INHALABLE DUST

Germany (AGS): (1) Insoluble particulates (2) not applicable for ultra – fine dusts and dusts with specific toxicity (3) the limit value is a general upper limit for technical measures, as long as no specific regulations for toxic or carcinogenic substance are available

RESPIRABLE DUST

France: Bold type: Restrictive statutory limit values

Germany (AGS): (1) Insoluble particulates (2) not applicable for ultra – fine dusts and dusts with specific toxicity (3) the limit value is a general upper limit for technical measures, as long as no specific regulations for toxic or carcinogenic substances are available (4) the limit value was derived for dusts with an average density of 2.5 mg/mg³ (5) at work areas where all technical and further measures are state of the art but the LV is still not adhered, the old LV can be applied for a transitional period until 31st December 2018 (8 h – LV: 3.0 mg/m³, 15 minutes average value: 6.0 mg/m³

Germany (DFG): Insoluble particulate

L'ACGIH ritiene che anche particelle biologicamente inerti, insolubili o poco solubili, possono avere effetti avversi e, pertanto, raccomanda che la concentrazione di tali polveri nell'aria sia mantenuta al di sotto di: 3mg/m³, per le particelle respirabili; 10mg/m³, per le particelle inalabili, momento in cui sarà stabilito un TLV per la particolare sostanza.

- Substance: Activated Carbon

DNEL

Systemic effects Long term Workers inhalation = 1,84 (mg/m³)
Systemic effects Long term Consumers inhalation = 0,9 (mg/m³)

8.2. Exposure controls



Appropriate engineering controls:

Industrial Manufacturing:

No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)

Manufacture of food products:

No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)

Public domain (administration, education, entertainment, services, craftsmen):

No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)

8.2.2 Individual protection measures:

(a) Eye / face protection

When handling the pure product use safety glasses (EN 166).

(b) Skin protection

(i) Hand protection

When handling the pure product use protective rubber or latex gloves, or other protective equipment, according to the instructions of the RSPP

(ii) Other

When handling the pure product, wear full protective clothing (generic workwear) or other protective equipment, according to the instructions of the RSPP

(c) Respiratory protection

Not needed for normal use.

During manual operations in case of insufficient ventilation, use mask with dust filter - White, P (EN 143) unless otherwise provided by the employer and / or assessments of environmental investigations hygienistic

(d) Thermal hazards

No hazard to report

Environmental exposure controls:

=====

Related to contained substances:

Activated Carbon:

Ensure a sufficient air supply and/or an aspirazione working environments.

Personal protection:

Respiratory protection: nose-mouth Mask with microporous filter P2 hand protection: Gloves

Eye/face protection: safety goggles, eye wash bottle with pure water

Protection of the skin and body parts protecting suit:

Bentonite:

Personal protection

Respiratory protection: not recommended the use of special equipment respiratory protection under normal conditions of use provided with adequate ventilation.

Skin protection: none.

Eye protection: Bench-specific data are not available for eye irritation, wear eye protection devices adapted to the

conditions of use when handling

This material.

Ingestion: ingestion is unlikely.

Industrial hygiene: Ensure adequate ventilation to minimize concentrations of dust and/or fumes

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method
Appearance	Black mini-pellets	
Odour	not determined as considered not relevant for the characterization of the product	
Odour threshold	not determined as deemed not relevant to the characterization of the product	
pH	4.0 ± 0.5 (20 ° C, Sol 5%)	
Melting point/freezing point	not determined as considered not relevant for the characterization of the product	
Initial boiling point and boiling range	not determined as considered not relevant for the characterization of the product	
Flash point	not determined as considered not relevant for the characterization of the product	ASTM D92
Evaporation rate	not determined as considered not relevant for the characterization of the product	
Flammability (solid, gas)	not determined as considered not relevant for the characterization of the product	
Upper/lower flammability or explosive limits	not determined as considered not relevant for the characterization of the product	
Vapour pressure	not determined as considered not relevant for the characterization of the product	
Vapour density	not determined as considered not relevant for the characterization of the product	
Relative density	0.25 - 0.60 (20 ° C)	
Solubility	insoluble	
Water solubility	not determined as considered not relevant for the characterization of the product	
Partition coefficient: n-octanol/water	not determined as considered not relevant for the characterization of the product	
Auto-ignition temperature	not determined as considered not relevant for the characterization of the product	
Decomposition temperature	not determined as considered not relevant for the characterization of the product	
Viscosity	not determined as considered not relevant for the characterization of the product	
Explosive properties	not determined as considered not relevant for the characterization of the product	
Oxidising properties	not determined as considered not relevant for the characterization of the product	

9.2. Other information

No data available.

SECTION 10. Stability and reactivity

10.1. Reactivity

=====
Related to contained substances:
Bentonite:
None under normal conditions.

10.2. Chemical stability

stable

10.3. Possibility of hazardous reactions

none

10.4. Conditions to avoid

during storage, avoid extreme heat and high humidity

10.5. Incompatible materials

Contact with strong oxidants such as ozone, liquid oxygen, chlorine and permanganate may cause rapid combustion.
Avoid contact with strong acids.

10.6. Hazardous decomposition products

Carbon monoxide (CO), carbon dioxide (CO₂).

SECTION 11. Toxicological information

11.1. Information on toxicological effects

ATE(mix) oral = ∞
ATE(mix) dermal = ∞
ATE(mix) inhal = ∞

- (a) acute toxicity: based on available data, the classification criteria are not met.
- (b) skin corrosion/irritation based on available data, the classification criteria are not met.
- (c) serious eye damage/irritation: based on available data, the classification criteria are not met.
- (d) respiratory or skin sensitization: based on available data, the classification criteria are not met.
- (e) germ cell mutagenicity: based on available data, the classification criteria are not met.
- (f) carcinogenicity: based on available data, the classification criteria are not met.
- (g) reproductive toxicity: based on available data, the classification criteria are not met.
- (h) specific target organ toxicity (STOT) single exposure: based on available data, the classification criteria are not met.
- (i) specific target organ toxicity (STOT) repeated exposure based on available data, the classification criteria are not met.
- (j) aspiration hazard: based on available data, the classification criteria are not met.

Health Hazards:

Eye contact: Accidental contact of product with eyes may cause irritation.

Skin Contact: Product is not an irritant. Prolonged or repeated contact may defeat and irritate the skin and cause dermatitis in some cases.

Ingestion: The ingested product may cause irritation of the mucous membranes of the throat and digestive system leading to digestive symptoms and abnormal bowel disorders.

Inhalation: Prolonged exposure to vapours or mists of product may cause respiratory irritation.

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 64,4

=====
Related to contained substances:
Activated Carbon:
Acute toxic:

Inhalation: Lc50/rat/14: 8.5 mg/l (method: OECD directive line 403)

Ingestion: Ld50/rat: > 2000 mg/kg (method: OECD directive line 423)

Bentonite:
Oral rat Ld50 [mg/kg]: Data not available

SECTION 12. Ecological information

12.1. Toxicity

Activated carbon:
Acute toxicity - LC50 fish (mg / l / 96h): n.d.
Acute toxicity - crustaceans EC50 (mg / l / 48h): n.d.
Acute toxicity ErC50 algae (mg / l / 72-96h): n.d.
Chronic toxicity - NOEC fish (mg / l): n.d.
Chronic toxicity - crustaceans NOEC (mg / l): n.d.
Chronic toxicity NOEC algal (mg / l): n.d.

Bentonite:
Not available

Use according to good working practices and avoid to disperse the product into the environment.

12.2. Persistence and degradability

Activated carbon
Not available

Bentonite:
Not available

12.3. Bioaccumulative potential

Activated carbon
Not available

Bentonite:
Not available

12.4. Mobility in soil

Activated carbon
Not available

Bentonite:
Not available

12.5. Results of PBT and vPvB assessment

The substance / mixture does NOT contain substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

12.6. Other adverse effects

No adverse effects

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.
Recover if possible. Operate according to local or national regulations

SECTION 14. Transport information

14.1. UN number

Not included in the field of application of regulations concerning the transport of dangerous goods: by road (ADR); by rail (RID); by air (ICAO / IATA); by sea (IMDG).

14.2. UN proper shipping name

None

14.3. Transport hazard class(es)

None

14.4. Packing group

None

14.5. Environmental hazards

None

14.6. Special precautions for user

No data available.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and IBC Code

Transport in bulk is not foreseen

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions relating to the product or contained substances (All. XVII Reg. EC 1907/2006): not applicable
Substances in Candidate List (art. 59 Reg. EC 1907/2006): the product does not contain SVHC
Substances subject to authorisation (Ann. XIV Reg. CEC 1907/2006): the product does not contain SVHC
Reg. EC 648/04: see 2.2
Reg. (EU) n. 1169/2011: see 2.2

15.2. Chemical safety assessment

No chemical safety assessment was carried out by the supplier

SECTION 16. Other information

16.1. Other information

Classification based on data of all mixture components

Main normative references:

Reg. (CE) n. 1907 del 18/12/06 REACH (Registration, Evaluation and Authorisation of CHemicals) et seq.

Reg. (CE) 1272/2008 CLP (Classification Labelling and Packaging) et seq.

Regulation (EC) n. 648 of 31/03/04 (on detergents) et seq.

Regulation (UE) n. 1169/2011 (on the provision of food information to consumers)

Directive 2012/18/EU (on the control of major-accident hazards involving dangerous substances) et seq.

Procedure used to classify under CLP mixture (Reg . EC 1272/2008): irrelevant

Training required: This document must be submitted to the employer to determine the possible need for appropriate training for workers to ensure protection of human health and the environment.

n.a.: not applicable

n.d.: not available

ADR: Accord européen relative au transport International des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

ATE: Acute Toxicity Estimat

BFC: BioconCentration Factor

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstract Service number

CAP: Centre AntiPoison

CE/EC number EINECS (European Inventory of existing Commercial Substances) e ELINCS (European List of notified Chemical Substances)

CL50/LC50: Lethal Concentration 50

DL50/LD50: Lethal Dose 50

COD: Chemical Oxygen Demand

DNEL: Derived No Effect Level

EC50: half maximal Effective Concentration

ERC: Enviroment Release Classes

EU/UE: European Union

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

IMDG: International Maritime Dangerous Goods code

Kow: Octanol water partition coefficient

NOEC: No Observed Effect Concentration

OEL: Occupational Exposure Limit

PBT: Persistent Bioaccumulative and Toxic

PC: Product Categories

PNEC: Predicted No Effect Concentration

PROC: Process Categories

RID: Règlement concernant le transport International ferroviaire des marchandises dangereuses (Regulations concerning International rail transport of dangerous goods)

STOT: Target Organ Systemic Toxicity

STOT (RE): Repeated Exposure

STOT (SE): Single Exposure

STP: Sewage Treatment Plants

SU: Sector of Use

SVCH: Substance of Very High Concern

TLV: Threshold Limit Value

vPvB: Very Persistent Very Bioaccumulative

References and Sources:

- ECHA Registered Substances:
 - <https://echa.europa.eu/web/guest/information-on-chemicals/registered-substances>
- SDS supplier
- GESTIS DNEL Database: <http://www.dguv.de/ifa/gestis/gestis-dnel-datenbank/index-2.jsp>
- GESTIS International Limit Value: <http://limitvalue.ifa.dguv.de>

This msds was made in good faith by AEB technical Office on the basis of the information available at the date of the last revision. The person in charge must regularly inform the employees about the specific risks they encounter when using this substance/product. The information contained here relate only to the substance/the preparation indicated and may not apply if the product is used improperly or in combination with others. Nothing contained herein shall be construed as a guarantee, either express or implied. It is the responsibility of the user to ensure the opportunities and completeness of the information contained herein for their own particular use.

*** this tab annuls and replaces any previous edition. (IIXX)

Changes to the previous edition: documental allignment.
