QUERTANIN® INTENSE

Stave wood quality ellagic tannins, extracted from oak heartwood, utilising LAFFORT®'s Instant Dissolving Process (IDP). For post-vinification use in red, rosé and white wines.

Qualified for the elaboration of products for direct human consumption in the field of the regulated use in oenology. In accordance with the current EU regulation n° 2019/934.

SPECIFICATIONS AND OENOLOGICAL APPLICATIONS


Used during ageing, **QUERTANIN® INTENSE** is a preparation of ellagic tannins used in ageing, which acts on the tannic structure and contributes to balance in wines.

- Regulates oxidation-reduction phenomena during maturation in barrels or during micro-oxygenation.
- Provides older barrels with an anti-oxidant medium rich in ellagitannins, identical to that of new barrels.
- Improves clarification.


EXPERIMENTAL RESULTS

- Tannin content extracted from the oak is lower in used barrels. The ellagitannin protective effect is decreased and the wine becomes subject to premature oxidation. Adding QUERTANIN® INTENSE allows recreation of the buffer ing qualities provided by tannins extracted from new barrels thus protecting the wine from the oxidation phenomena.
- QUERTANIN[®] INTENSE allows a significant decrease in reductive characters, such as light mercaptans, guaranteeing improved preservation of aromatic freshness.

ELLAGITANNIN CONTENT IN BARRELS



ETHANETHIOL CONTENT (%)





PHYSICAL CHARACTERISTICS

Aspect granulated	Colour dark brown
Solubility complete	

CHEMICAL ANALYSIS

Total phenolics (%) > 65	Arsenic (ppm) < 3
Humidity (%)	Iron (ppm) < 50
Ash (%)	Lead (ppm) < 2
Insoluble substances (%) < 2	Mercury (ppm)
	Cadmium (ppm)

PROTOCOL FOR USE

DOSAGE

It is specified in the Oenological Codex that tannins "must not change the olfactory properties and the colour of wine". The dosage rates will therefore vary in function of the wine matrix, and shall be determined after trials.

- Preservation of aromatic freshness in white and rosé wines: 0.5 2 g/hL (5 20 ppm).
- Red wine maturation: 3 10 g/hL (30 100 ppm).

IMPLEMENTATION

Thanks to the IDP process, **QUERTANIN® INTENSE** can be sprinkled directly onto the wine in an intermediary container during a pump-over homogenisation (5 to 10%).

QUERTANIN® INTENSE can be used during fermentation or ageing.

For white wines stabilised with CMC (tartaric stabilisation), the addition of tannins towards the end of ageing may affect the colloidal stability; it is recommended to perform a protein stability test again systematically after addition. A rough-hewed filtration is recommended before final filtrations.

STORAGE RECOMMENDATION

- Store above ground level in a dry area not liable to impart odours. Ensuring stock is kept at a moderate temperature, in its original, unopened packaging.
- Optimal date of use: 4 years.

PACKAGING

Resealable doypack of 500 g - 10 kg box.

