ANOXYDE C

Vitamin C - Pure L- Ascorbic acid. C₆H₈O₆= 176,13

Qualified for the elaboration of products for direct human consumption in the field of the regulated use in Œnology. In compliance with the regulation (EU) n° 2019/934 and with the Food Chemical Codex (FCC).

Physical characteristics

Aspect	crystalline powder
Colour	white
Rotary power at 10 %	$[\alpha]$ 20°C between + 20.5° and + 21.5°

Chemical Analysis

Purity≥	: 99 %	Lead	< 2 ppm
pH (5%)2,4	4 – 2,8	Mercury	.< 1 ppm
		Arsenic	
Humidity <	0,4 %	Copper	< 2 ppm
Heavy metals (Pb)< 10	0 ppm	Iron	< 5 ppm

Oenological use

Properties: anti-oxidant always to be used with sulphur dioxide.

Dosage: 5-10g/hL

Preparation: dissolve in 10 times its weight in cold water. Incorporate during a pump-over, mix thoroughly.

Remarks:

- Use an inert and clean container.
- Do not mix with other products.
- Use the products within 2 hours after preparation.
- Always associate with an SO₂correction.

<u>REGULATION</u>: check your local legislation in force and abide by the right dosage. (For information, the maximum legal dose for the EU is 25g/hL = 250 ppm).

Storage recommendation

Store above ground level in a dry area not liable to impart odours. Ensuring stock is kept at a moderate temperature, in its original, unopened packaging. Optimal date of use (not opened bag):3 years.

Packaging

1kg bags / 25kg bags

