

# **PROTAN Peel**

Issued on 12/19/2018 - Rel. # 5 on 12/19/2018

#1/11

In conformity to Regulation (EU) 2015/830

SECTION 1. Identification of the substance/mixture and of the company/enterprise

## 1.1. Product identifier

Product name : PROTAN Peel Product code: refer to sales department

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Tannins Sectors of use: Industrial Manufacturing[SU3], Manufacture of food products[SU4], Public domain (administration, education, entertainment, services, craftsmen)[SU22] Product category: Process aid for enological use

Not recommended uses Do not use for purposes other than those listed

# 1.3. Details of the supplier of the safety data sheet

AEB SpA - Via Vittorio Arici 104 S.Polo - 25134 Brescia (BS) Italy Tel. +39.030.2307.1 Fax +39.030.2307281 E-mail: info@aeb-group.com - Internet: www.aeb-group.com E-mail tecnico competente/technical dept.: sds@aeb-group.com

AEB USA 111 N Cluff Avenue Lodi CA 95240 (USA) Tel: +1 2096258139 Fax: +1 2092248953 Email: info@aebusa.com - Internet: www.aeb-group.com

AEB AFRICA (PTY) LTD 18 Track Crescent, Cor. Station Road Montague Gardens 7441 Cape Town (South Africa) Tel.: +27 215512700 - Fax: +27 (0) 215511919 Email: info@aeb.co.za - Internet: www.aeb-group.com

AEB OCEANIA PTY LTD 178A Wakaden Street Griffith NSW 2680 T: 1300 704 971 Email: aeboceania@aeb-group.com - Internet: www.aeb-group.com

Produced by AEB SpA Via Vittorio Arici 104 S. Polo 25134 Brescia



# **PROTAN Peel**

Issued on 12/19/2018 - Rel. # 5 on 12/19/2018

In conformity to Regulation (EU) 2015/830

### 1.4. Emergency telephone number

AEB SpA

Centralino/Switchboard: +39.030.2307.1 - (h 8.30-12.00 13.30-18.00 GMT +1; Lingua/Language: Italiano, English)

AEB BIOCHEMICAL USA Switchboard: +1 2096258139 (GMT -8; Language: English)

AEB AFRICA (PTY) LTD Switchboard: +27 215512700 (GMT +1; Language: English, Afrikaans)

AEB OCEANIA PTY LTD Switchboard: +61 1300 704 971 (GMT +9; Language: English)

## **SECTION 2. Hazards identification**

# 2.1. Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms: None

Hazard Class and Category Code(s): Non hazardous

Hazard statement Code(s): Non hazardous

### 2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s): None

Hazard statement Code(s): Non hazardous

Supplemental Hazard statement Code(s): EUH031 - Contact with acids liberates toxic gas (SO2)

Precautionary statements: None in particular.

Contains:

Information concerning the components: tannin extracted from grape skin, stabilized with gum arabic; potassium bisulfite 0.1% (<Sulphur dioxide and sulfites at concentrations of more than 10 mg/kg or 10 mg/litre expressed as SO2>in compliance with Regulation (EU) No 1169/2011 - Annex II and subsequent additions and modifications), water q.s. to 100.

Only for professional use. Food use, oenological use. In accordance with current regulations on the specific matter.



## **PROTAN Peel**

Issued on 12/19/2018 - Rel. # 5 on 12/19/2018

In conformity to Regulation (EU) 2015/830

### 2.3. Other hazards

The substance / mixture does NOT contain substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

No information on other hazards

This document is outside the scope of Article 31 of REACH

## SECTION 3. Composition/information on ingredients

### 3.1 Substances

Irrilevant

### 3.2 Mixtures

No dangerous substance to report.

# SECTION 4. First aid measures

### 4.1. Description of first aid measures

Inhalation:

Ventilate the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

Direct contact with skin (of the pure product).:

Wash thoroughly with soap and running water.

Direct contact with eyes (of the pure product).: Wash immediately and thorougly with running water for at least 10 minutes.

Ingestion:

Not hazardous. It's possible to give activated charcoal in water or medicinal mineral vaseline oil.

## 4.2. Most important symptoms and effects, both acute and delayed

In contact with eyes, it may cause tearing and tearing

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

# **SECTION 5. Firefighting measures**

## 5.1. Extinguishing media

Suggested extinguishing media:

Water spray, CO2, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing media to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.



### **PROTAN Peel**

Issued on 12/19/2018 - Rel. # 5 on 12/19/2018

#4/11

In conformity to Regulation (EU) 2015/830

# 5.2. Special hazards arising from the substance or mixture

No data available.

# 5.3. Advice for firefighters

Use protection for the breathing apparatus

Safety helmet and full protective clothing.

The water spray can be used to protect the people involved in the extinction.

You may also use self-contained breathing apparatus, especially when working in confined and poorly ventilated areas and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)

Keep containers cool with water spray

# **SECTION 6. Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel: Leave the area surrounding the spill or release. Do not smoke Wear gloves and protective clothing

6.1.2 For emergency responders: Eliminate all unguarded flames and possible sources of ignition. No smoking. Privide a sufficient ventilation. Evacuate the danger area and, in case, consult an expert.

# 6.2. Environmental precautions

Contain spills with earth or sand. If the product has entered a watercourse, sewers or has contaminated soil or vegetation, notify the authorities. Dispose of the waste material in compliance with the regulations

## 6.3. Methods and material for containment and cleaning up

6.3.1 Containment: Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert materia or sucked it. Prevent it from entering the sewer system.

6.3.2 Cleaning up: After wiping up, wash with water the area and materials involved

6.3.3 Other information: None in particular.

## 6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

## **SECTION 7. Handling and storage**

## 7.1. Precautions for safe handling

Avoid contact and inhalation of vapors



### **PROTAN Peel**

Issued on 12/19/2018 - Rel. # 5 on 12/19/2018

In conformity to Regulation (EU) 2015/830

At work do not eat or drink. See also paragraph 8 below.

# 7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabelled containers. Keep containers upright and safe by avoiding the possibility of falls or collisions. Store in a cool and dry place, away from heat sources and direct exposure to sunlight.

# 7.3. Specific end use(s)

Industrial Manufacturing: Handle with extreme caution. Store in a well ventilated place away from heat sources.

Manufacture of food products: Handle with care. Store in a clean, dry, ventilated area away from heat and direct sunlight. Keep container tightly closed.

Public domain (administration, education, entertainment, services, craftsmen): Handle with care. Store in a ventilated area and away from heat, keep the container tightly closed.

# **SECTION 8. Exposure controls/personal protection**

### 8.1. Control parameters

No data available.

## 8.2. Exposure controls



Appropriate engineering controls: Industrial Manufacturing: No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)

Manufacture of food products: No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)

Public domain (administration, education, entertainment, services, craftsmen): No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)

8.2.2 Individual protection measures:

(a) Eye / face protection

When handling the pure product use safety glasses (EN 166).

(b) Skin protection

### (i) Hand protection

When handling the pure product use protective rubber or latex gloves, or other protective equipment, according to the instructions of the RSPP

(ii) Other

When handling the pure product, wear full protective clothing (generic workwear) or other protective equipment, according to the instructions of the RSPP



# **PROTAN Peel**

Issued on 12/19/2018 - Rel. # 5 on 12/19/2018

#6/11

In conformity to Regulation (EU) 2015/830

(c) Respiratory protection

Not needed for normal use.

During manual operations in case of insufficient ventilation, use adequate protection mask (EN 143) unless otherwise provided by the employer and / or assessments of environmental investigations hygienistic

(d) Thermal hazards No hazard to report

Environmental exposure controls: Use according to good working practices and avoid to disperse the product into the environment.

# **SECTION 9. Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method
Appearance	Brown liquid	
Odour	not determined as considered not relevant for the characterization of the product	
Odour threshold	not determined as considered not relevant for the characterization of the product	
рН	6.20 ± 0.5 (20 ° C, sol% 1)	
Melting point/freezing point	not determined as considered not relevant for the characterization of the product	
Initial boiling point and boiling range	not determined as considered not relevant for the characterization of the product	
Flash point	not determined as considered not relevant for the characterization of the product	ASTM D92
Evaporation rate	not determined as considered not relevant for the characterization of the product	
Flammability (solid, gas)	not determined as considered not relevant for the characterization of the product	
Upper/lower flammability or explosive limits	not determined as considered not relevant for the characterization of the product	
Vapour pressure	not determined as considered not relevant for the characterization of the product	
Vapour density	not determined as considered not relevant for the characterization of the product	
Relative density	not determined as considered not relevant for the characterization of the product	
Solubility	not determined as considered not relevant for the characterization of the product	
Water solubility	soluble	
Partition coefficient: n-octanol/water	not determined as considered not relevant for the characterization of the product	
Auto-ignition temperature	not determined as considered not relevant for the characterization of the product	
Decomposition temperature	not determined as considered not relevant for the characterization of the product	
Viscosity	not determined as considered not relevant for the characterization of the product	
Explosive properties	not determined as considered not relevant for the characterization of the product	
Oxidising properties	not determined as considered not relevant for the characterization of the product	



### **PROTAN Peel**

#### Issued on 12/19/2018 - Rel. # 5 on 12/19/2018

#7/11

In conformity to Regulation (EU) 2015/830

Physical and chemical properties	Value	Determination method
----------------------------------	-------	----------------------

### 9.2. Other information

No data available.

### SECTION 10. Stability and reactivity

## 10.1. Reactivity

No reactivity hazards

### 10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

### 10.3. Possibility of hazardous reactions

There are no hazardous reactions

### 10.4. Conditions to avoid

Nothing to report

### 10.5. Incompatible materials

Bases and oxidizing agents

### 10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

## SECTION 11. Toxicological information

### 11.1. Information on toxicological effects

ATE(mix) oral =  $\infty$ ATE(mix) dermal =  $\infty$ ATE(mix) inhal =  $\infty$ 

(a) acute toxicity: based on available data, the classification criteria are not met.

(b) skin corrosion/irritationbased on available data, the classification criteria are not met.

(c) serious eye damage/irritation: based on available data, the classification criteria are not met.

(d) respiratory or skin sensitization: based on available data, the classification criteria are not met.

(e) germ cell mutagenicity: based on available data, the classification criteria are not met.

(f) carcinogenicity: based on available data, the classification criteria are not met.

(g) reproductive toxicity: based on available data, the classification criteria are not met.

(h) specific target organ toxicity (STOT) single exposure: based on available data, the classification criteria are not



## **PROTAN Peel**

#### Issued on 12/19/2018 - Rel. # 5 on 12/19/2018

In conformity to Regulation (EU) 2015/830

met.

(i) specific target organ toxicity (STOT) repeated exposurebased on available data, the classification criteria are not met.

(j) aspiration hazard: based on available data, the classification criteria are not met.

Health Hazards:

Eye contact: Accidental contact of product with eyes may cause irritation.

Skin Contact: Product is not an irritant. Prolonged or repeated contact may defeat and irritate the skin and cause dermatitis in some cases.

Ingestion: The ingested product may cause irritation of the mucous membranes of the throat and digestive system leading to digestive symptoms and abnormal bowel disorders.

Inhalation: Prolonged exposure to vapours or mists of product may cause respiratory irritation.

# **SECTION 12. Ecological information**

### 12.1. Toxicity

Use according to good working practices and avoid to disperse the product into the environment.

## 12.2. Persistence and degradability

No data available.

## 12.3. Bioaccumulative potential

No data available.

## 12.4. Mobility in soil

No data available.

## 12.5. Results of PBT and vPvB assessment

The substance / mixture does NOT contain substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

### 12.6. Other adverse effects

No adverse effects

## SECTION 13. Disposal considerations

## 13.1. Waste treatment methods

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies. Recover if possible. Operate according to local or national regulations

# **SECTION 14. Transport information**



# **PROTAN Peel**

Issued on 12/19/2018 - Rel. # 5 on 12/19/2018

In conformity to Regulation (EU) 2015/830

### 14.1. UN number

Not included in the field of application of regulations concerning the transport of dangerous goods: by road (ADR); by rail (RID); by air (ICAO / IATA); by sea (IMDG).

### 14.2. UN proper shipping name

None

### 14.3. Transport hazard class(es)

None

### 14.4. Packing group

None

14.5. Environmental hazards

None

### 14.6. Special precautions for user

No data available.

## 14.7. Transport in bulk according to Annex II of MARPOL73/78 and IBC Code

Transport in bulk is not foreseen

## **SECTION 15. Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions relating to the product or contained substances (All. XVII Reg. EC 1907/2006): not applicable Substances in Candidate List (art. 59 Reg. EC 1907/2006): the product does not contain SVHC Substances subject to authorisation (Ann. XIV Reg. CEC 1907/2006): the product does not contain SVHC Reg. EC 648/04: see 2.2 Reg. (EU) n. 1169/2011: see 2.2

### 15.2. Chemical safety assessment

No chemical safety assessment was carried out by the supplier

## SECTION 16. Other information

### 16.1. Other information

Points modified compared to previous release: 2.2. Label elements

Classification based on data of all mixture components



Issued on 12/19/2018 - Rel. # 5 on 12/19/2018

# Factsheet

## **PROTAN Peel**

In conformity to Regulation (EU) 2015/830

#10/11

Main normative references: Reg. (CE) n. 1907 del 18/12/06 REACH (Registration, Evaluation and Authorisation of CHemicals) et seq. Reg. (CE) 1272/2008 CLP (Classification Labelling and Packaging) et seg. Regulation (EC) n. 648 of 31/03/04 (on detergents) et seg. Regulation (UE) n. 1169/2011 (on the provision of food information to consumers) Directive 2012/18/EU (on the control of major-accident hazards involving dangerous substances) et seq. Procedure used to classify under CLP mixture (Reg . EC 1272/2008): irrilevant Training required: This document must be submitted to the employer to determine the possible need for appropriate training for workers to ensure protection of human health and the environment. n.a.: not applicable n.d.: not available ADR: Accord europèen relative au transport International des merchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road) ATE: Acute Toxicity Estimat **BFC: BioconCentration Factor BOD: Biochemical Oxigen Demand** CAS: Chemical Abstract Service number CAP: Centre AntiPoison CE/EC number EINECS (European Inventory of existing Commercial Substances) e ELINCS (European List of notified Chemical Substances) CL50/LC50: Lethal Concentration 50 DL50/LD50: Lethal Dose 50 COD: Chemical Oxygen Demand DNEL: Derived No Effect Level EC50: half maximal Effective Concentration ERC: Enviroment Release Classes EU/UE: European Union IATA: International Air Transport Association ICAO: International Civil Aviation Organization IMDG: International Maritime Dangerous Goods code Kow: Octanol water partition coefficient NOEC: No Observed Effect Concentration **OEL: Occupational Exposure Limit** PBT: Persistent Bioaccumulative and Toxic PC: Product Categories PNEC: Predicted No Effect Concentration **PROC:** Process Categories RID: Règlement concernent le transport International ferroviaire des merchandises dangereuses (Regulations concerning International rail transport of dangerous goods) STOT: Target Organ Systemic Toxicity STOT (RE): Repeated Exposure STOT (SE): Single Exposure STP: Sewage Treatment Plants SU: Sector of Use SVCH: Substance of Very High Concern TLV: Threshold Limit Value vPvB: Very Persistent Very Bioaccumulative References and Sources: ECHA Registered Substances: • https://echa.europa.eu/web/guest/information-on-chemicals/registered-substances SDS supplier

· GESTIS DNEL Database: http://www.dguv.de/ifa/gestis/gestis-dnel-datenbank/index-2.jsp



# **PROTAN Peel**

Issued on 12/19/2018 - Rel. # 5 on 12/19/2018

# 11 / 11

In conformity to Regulation (EU) 2015/830

• GESTIS International Limit Value: http://limitvalue.ifa.dguv.de

This msds was made in good faith by AEB technical Office on the basis of the information available at the date of the last revision. The person in charge must regularly inform the employees about the specific risks they encounter when using this substance/product. The information contained here relate only to the substance/the preparation indicated and may not apply if the product is used improperly or in combination with others. Nothing contained herein shall be construed as a guarantee, either express or implied. It is the responsibility of the user to ensure the opportunities and completeness of the information contained herein for their own particular use.

\*\*\* this tab annuls and replaces any previous edition. (IIXX)

Changes to the previous edition: label variation.